Animal Kingdom Class 11

Chapter 4 Animal Kingdom Exercise Solutions

Exercise : Solutions of Questions on Page Number : **62**

Q1 :

What are the difficulties that you would face in classification of animals, if common fundamental features are not taken into account?

Answer :

For the classification of living organisms, common fundamental characteristics are considered.

If we consider specific characteristics, then each organism will be placed in a separate group and the entire objective of classification would not be achieved.

Classification of animals is also important in comparing different organisms and judging their individual evolutionary significance. If only a single characteristic is considered, then this objective would not be achieved.

Q2 :

If you are given a specimen, what are the steps that you would follow to classify it?

Answer :

There is a certain common fundamental feature that helps in classification of living organisms. The features that can be used in classification are as follows.

(i) Level of classification
- Cellular level
- Tissue level
- Organ level

(ii) Body cavity
- Absent
- Present

(iii) Type of body symmetry
- Radial
- Bilateral

(iv) Type of coelom development
- Acoelom
- Pseudocoelom
- True coelom

(v) Type of true coelom
- Enterocoelom
- Schizocoelom

Scanned with CamScanner

On the basis of above features, we can easily classify a specimen into its respective category.

Q3 :

How useful is the study of the nature of body cavity and coelom in the classification of animals?

Answer :

Coelom is a fluid filled space between the body wall and digestive tract. The presence or absence of body cavity or coelom plays a very important role in the classification of animals. Animals that possess a fluid filled cavity between body wall and digestive tract are known as coelomates. Annelids, mollusks, arthropods, echinodermates, and chordates are examples of coelomates. On the other hand, the animals in which the body cavity is not lined by mesoderm are known as pseudocoelomates. In such animals, mesoderm is scattered in between ectoderm and endoderm. Aschelminthes is an example of pseudocoelomates. In certain animals, the body cavity is absent. They are known as acoelomates. An example of acoelomates is platyhelminthes.



Q4 :

Distinguish between intracellular and extracellular digestion?

Answer :

	Intracellular digestion		Extracellular digestion
1.	The digestion of food occurs within the cell.	1.	The digestion occurs in the cavity of alimentary canal.
2.	Digestive enzymes are secreted by the surrounding cytoplasm into the food vacuole.	2.	Digestive enzymes are secreted by special cells into the cavity of alimentary canal.
3.	Digestive products are diffused into the cytoplasm.	3.	Digestive products diffuse across the intestinal wall into various parts of the body.
4.	It is a less efficient method.	4.	It is a more efficient method of digestion.

Scanned with CamScanner

5.	It occurs in unicellular organisms.	5.	It occurs in multicellular organisms.

Q5 :

What is the difference between direct and indirect development?

Answer :

	Direct development		Indirect development
1.	It is a type of development in which an embryo develops into a mature individual without involving a larval stage.	1.	It is a type of development that involves a sexually-immature larval stage, having different food requirements than adults.
2.	Metamorphosis is absent.	2.	Metamorphosis involving development of larva to a sexually-mature adult is present.
3.	It occurs in fishes, reptiles, birds, and mammals.	3.	It occurs in most of the invertebrates and amphibians.

Q6 :

What are the peculiar features that you find in parasitic platyhelminthes?

Answer :

Taenia (Tapeworm) and *Fasciola* (liver fluke) are examples of parasitic platyhelminthes.

Peculiar features in parasitic platyhelminthes are as follows.

1. They have dorsiventrally flattened body and bear hooks and suckers to get attached inside the body of the host.

2. Their body is covered with thick tegument, which protects them from the action of digestive juices of the host.

3. The tegument also helps in absorbing nutrients from the host's body.

Q7 :

What are the reasons that you can think of for the arthropods to constitute the largest group of the animal kingdom?

Answer :

The phylum, Arthropoda, consists of more than two-thirds of the animal species on earth. The reasons for the success of arthropods are as follows.

i. Jointed legs that allow more mobility on land

Scanned with CamScanner

ii. Hard exoskeleton made of chitin that protects the body

iii. The hard exoskeleton also reduces water loss from the body of arthropods making them more adapted to terrestrial conditions.

Q8 :

Water vascular system is the characteristic of which group of the following:

(a) Porifera (b) Ctenophora (c) Echinodermata (d) Chordata

Answer :

Water vascular system is a characteristic feature of the phylum, Echinodermata. It consists of an array of radiating channels, tube feet, and madreporite. The water vascular system helps in locomotion, food capturing, and respiration.

Scanned with CamScanner